



NOT YET AVAILABLE
**LINEZOLID 150MG, SCORED,
 DISPERSIBLE TABLETS**

Dose: 10-12mg/kg once daily for children < 12 years who weigh 16kg or more; 15mg/kg once daily in children < 12 years who weigh less than 16kg; 10mg/kg once daily in children 12 years and above

Échelle de Poids (kg)	Dose (mg)	Nombre de comprimés de 150mg
1kg	15mg twice daily	Mix 150mg tablet in 15 mL of water and administer 1.5mL of mixture immediately
2kg	30mg once daily	Mix 150 mg tablet in 15 mL of water and administer 3mL of mixture immediately
3kg	45mg once daily	Mix 150 mg tablet in 15 mL of water and administer 4.5mL of mixture immediately
4kg	60mg once daily	Mix 150 mg tablet in 15 mL of water and administer 6mL of mixture immediately
5kg	75mg once daily	Mix 150 mg tablet in 15 mL of water and administer 7.5mL of mixture immediately or give 0.5 of a 150mg tablet
6kg	90 mg once daily	Mix 150 mg tablet in 15 mL of water and administer 9mL of mixture immediately
7-9kg	75-150mg once daily	0.5-1
10-15kg	150-225mg once daily	1-1.5
16-20kg	225-300mg once daily	1.5-2
21-25kg	300mg once daily	2